

LA-UR-11-05078

Approved for public release;  
distribution is unlimited.

|                      |  |
|----------------------|--|
| <i>Title:</i>        | Advances in the Development and Verification of MCNP5 and MCNP6                              |
| <i>Author(s):</i>    | F.B. Brown, B.C. Kiedrowski, J.S. Bull,<br>J.T. Goorley, H.G. Hughes, M.R. James             |
| <i>Intended for:</i> | International Conference on Nuclear Criticality<br>Edinburgh, Scotland, 19-22 September 2011 |



Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By acceptance of this article, the publisher recognizes that the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

# Advances in the Development & Verification of MCNP5 & MCNP6

**Forrest Brown, Brian Kiedrowski, Jeffrey Bull,  
Tim Goorley, Grady Hughes, Mike James**

## Advances in the Development & Verification of MCNP5 & MCNP6

**Forrest Brown, Brian Kiedrowski, Jeffrey Bull,  
Tim Goorley, Grady Hughes, Mike James**


The MCNP Monte Carlo code has been used for high-fidelity analyses of criticality safety problems since the 1970s. This talk reviews recent advances in the development and verification of MCNP, including the current production release of MCNP5 and the beta release of MCNP6. End-users in all application areas need to be aware of the forthcoming MCNP6 release and begin planning for the transition to the new code in 2012 and beyond.

- **MCNP**
  - History & Applications
- **MCNP5-1.60 Release**
  - Features & Bug-fixes
  - V&V Suites & Results
- **MCNP6-beta-1 Release**
  - Capabilities
  - Status
- **Future Plans**
  - MCNP5-1.60
  - MCNP6
  - References

# MCNP

# Monte Carlo Code

# MCNP History



## • Monte Carlo transport of particles

- MCNP5 - neutrons, photons, electrons
  - MCNPX - MCNP4 + high-energy physics
  - MCNP6 - merged code + more, 2011 - beta, 2012 - full release
- 
- 3D general geometry
  - PC, Mac, Linux, Unix, Sun support
  - Parallel (MPI + threads)
  - 350K+ lines of code
  - Extensive verification / validation
  - 400+ person-years development
  - 10,000+ users world wide
  - 15,000+ reference citations
  - Distributed by RSICC code center
  - Export controlled

## HEU-MET-THERM-003







Figure 2. Array of 0.5-in. Cubes Prior to Immersion.

## Zeus-2, HEU-MET-INTER-006, case 2



## PU-MET-FAST-003, case 3



Case 103  
3 x 3 x 3 array  
3-kg Pu part  
 $V_{\text{cell}} = 710.1 \text{ cm}^3$

## IEU-COMP-THERM-002, case 3




Figure 9. Model of Core. Dimensions in cm; outer diameters are shown; the value "0" in the notation "x-y" is the wall thickness.

Figure 6. Lattice Plate Loading Chart for Assemblies with Gd Absorber (Case 3 and Case 4).

## PNL-33 - MIX-COMP-THERM-002




Figure 7. Fuel Loading for PNL-31 and PNL-33.

# MCNP & Nuclear Criticality Safety (2)




Figure 1. Unreflected HEU Sphere, heu-met-fast-008




Figure 4. HEU Sphere Reflected by Polyethylene, heu-met-fast-011




Figure 2. Incomplete HEU Sphere Reflected by Beryllium, heu-met-fast-009-case-1







Figure 5. Incomplete HEU Sphere Reflected by Aluminum, heu-met-fast-012



# MCNP & Nuclear Criticality Safety (3)



Vertical Slice through the Center of the Zeus-2 Benchmark, heu-met-inter-006-case-2



Hexagonal Lattice of IEU Fuel rods, ieu-comp-therm-002-case-3

6. Stacked Plutonium Cylinder Reflected by Beryllium or Beryllium Oxide, pu-met-fast-021-case-1 or pu-met-fast-021-case-2

## Criticality Safety:

- To assess the criticality safety of licensed facilities that handle fissionable materials.

## Radiation Shielding:

- To benchmark other shielding and dose calculation computer codes and methods used by NRC staff.
- To verify licensees' shielding and dosimetry calculations.



## Radiation Dosimetry:


- Assess planned and unplanned worker radiation exposures.
- Assess public exposure from planned licensing actions.

## Medical:


- To understand the radiation safety implications of using radiation in medical diagnosis and treatments.

# MCNP = Benchmark for Nuclear Reactor Design Codes


**MIT**  
Research Reactor










**ATR**  
Advanced Test Reactor



**PWR**  
Pressurized Water  
Reactor




**VHTR**  
Very High Temperature  
Gas-Cooled Reactor



- Accurate & explicit modeling at multiple levels
- Accurate continuous-energy physics & data

# Advanced Reactor Design - VHTR, HTGR, ...




**TRISO FUEL PARTICLES**







**FUEL COMPACTS**



**FUEL BLOCK**



**CORE**



**MCNP model - accurate & explicit at multiple levels**

# Radiography Calculations

- Radiography tallies




- Neutron and photon radiography uses a grid of point detectors (pixels)
- Each source and collision event contributes to all pixels

**MCNP Model of Human Torso**




**Simulated Radiograph - 1 M pixels**




# Medical Physics Treatment Planning

- MCNP is used to calculate dose distributions throughout a target region from different radiation beam orientations.
- Post processing programs are then used to (perhaps) combine different beams to maximize dose to tumor while minimizing dose to surrounding healthy tissue. These programs usually overlay the dose contours over patient specific CT images.
- While the peak tumor and tissue dose are usually based on in-phantom dose rate measurements, the simulation is necessary to determine more advanced parameters, such as the dose volume histogram.




CT Based geometries are possible to represent in MCNP




# Medical Physics – Phantoms & Voxel Models



## Zubal phantom



## Yanch, MIT




## ORNL




Radiographs of VIPMan model,  
1x1x1 mm voxels (above),  
2x2x2 mm voxels (right)  
Images from MCNP5 plotter

## VIP Man





## Snyder head phantom



- **MCNP6**

- 3D unstructured mesh
- Embedded in 3D MCNP geometry
- Many applications
  - Radiation treatment planning
  - Linkage to Abaqus
- Under development







“The code is ideally suited for use in medical applications because of the accuracy of its physics models, the unique set of clinically relevant features, and the responsive support provided by the developers and the user community.”

“We used MCNPX to verify the Mass General Hospital Proton Center, and this information has gone into the design of the MDACC proton center and others, which are used to treat > 5K people a year.”


Wayne Newhauser, Ph. D.  
Dept of Radiation Physics

THE UNIVERSITY OF TEXAS  
**MD ANDERSON**  
CANCER CENTER



proton fluence and dose contours (arb units)

- Patient-CT based model of knee & end of accelerator
- Calculate dose throughout knee
- Study impact of moderating/shielding materials & B<sup>10</sup> conc. in knee



J. R. Albritton, "Analysis of the SERA treatment planning system and its use in boron neutron capture synovectomy," M. S. thesis, Massachusetts Institute of Technology, 2001.

Gierga DP, Yanch JC, Shefer RE, "An investigation of the feasibility of gadolinium for neutron capture synovectomy", Med Phys. 2000 Jul;27(7):1685-92.


Pictures from  
mcnp plotter

# Proton & Carbon Therapy Applications



Proc. ND2010 April 26-30, 2010, Jeju Island, Korea, in press:

## Spectrum Measurement of Neutrons and Gamma-rays from Thick $H_2^{18}O$ Target Bombarded with 18 MeV Protons

M. Hagiwara<sup>a)</sup>, T. Sanami<sup>a)</sup>, Y. Iwamoto<sup>b)</sup>, N. Matsuda<sup>b)</sup>, Y. Sakamoto<sup>b)</sup>, Y. Nakane<sup>c)</sup>,  
H. Nakashima<sup>c)</sup>, K. Masumoto<sup>a)</sup>, Y. Uwamino<sup>d)</sup> and H. Kaneko<sup>e)</sup>



Experimental data are from: Y. Iwata et al., Phys. Rev. C64 (2001) 054609;  
QMD, HIC, and LAQGSM03 results are from: H. Iwase et al., AIP 769 (2005) 1066




Radiochim. Acta 98, 447-457 (2010)

Excitation functions of nuclear reactions leading to the soft-radiation emitting radionuclides  $^{45}Ca$ ,  $^{49}V$  and  $^{204}Tl$  in beam collimator materials used in proton therapy


By S. M. Qaim\*, K. Ketterm, Yu. N. Shubin<sup>+</sup>, S. Sudár<sup>#</sup> and H. H. Coenen

## Proton in Air & Constant B Field

### No Energy Straggling



### With Energy Straggling



# **MCNP5-1.60 Release**

- **Chronology**

- Development: Fall 2009 – Spring 2010
- Extensive testing & V&V: Summer 2010
- Sent to RSICC: September 2010
- RSICC release: October 2010, July 2011

- **Focus**

- **Stability + reliability for criticality calculations**
- **Support for latest computers – multicore, Windows/Mac/Linux, 32/64 bit**
- **Rigorous, extensive code V&V**
- **A few new features, many minor bug-fixes**

- **Notable**

- **Most rigorous & extensive MCNP testing ever**
- **Over 5,000 hr computer time for V&V, mostly on criticality problems**
- **First production release of adjoint-weighted tallies (kinetics parameters)**

- **Adjoint-weighted Tallies for Point Kinetics Parameters**
  - **First correct calculation of  $\beta_{\text{eff}}$ ,  $\Lambda_{\text{eff}}$ , Rossi-alpha using continuous-energy Monte Carlo and adjoint weighting**
  - First production application of iterated fission probability to compute adjoint-weighted tallies
  - Thorough V&V against analytic, Sn, experiment
- **Mesh Tallies for Isotopic Reaction Rates**
  - Previously, could only do flux, dose, material reaction rates
  - **Important extension to specific isotopes**
  - Possible use in activation analysis or burnup
- **Increased Limits for Geometry, Tally, and Source Specifications**
  - **Allow up to 100M for cell, surface, material specs.** Previous 100K limit
  - Complex cell spec up to 9999 items, previous 999 limit
  - Needed to support complicated problems, CAD conversion, .....

- **Web-based documentation**
  - 280 MB of reference material – theory, coding, V&V, user manual
  - Installation instructions & scripts
- **Utility programs**
  - Improved `merge_mctal` for merging results from multiple runs
  - Improved `merge_meshtal` for merging results from multiple runs
- **Additional V&V suites – later in this presentation**
- **General**
  - Support for threading on multicore computers
  - Parallel processing efficiency for threaded criticality calculations
  - Arbitrary number of threads for restart (continue) runs
  - 12 other minor enhancements to code
  - 30 minor bug-fixes (none affect results for criticality calculations)



## MCNP criticality problems with OpenMP threading:


- Fission-bank needs to be reordered into a unique ordering that is independent of the number of threads or MPI processes.
- **Previous:**
  - Reorder by crude, inefficient sorting
  - Poor scaling for large neutrons/cycle

$$T \sim O(N^2) \quad N = \text{neuts/cycle}$$

- **MCNP5-1.60:**

- New routine for unique reordering WITHOUT SORTING
- Based on: FB Brown & TM Sutton, "Reproducibility and Monte Carlo Eigenvalue Calculations", Trans Am Nuc Soc 65, 235 (1992)

$$T \sim O(N) \quad N = \text{neuts/cycle}$$




- 1/4-core, detailed PWR, 2D, ENDF/B-VII
- Run with 8 threads
- Times are wall-clock seconds for 5 cycles
- Identical results for old & new reordering


# MCNP5 - Threading with OpenMP

- **Parallel performance**

- MCNP5 has always used hierarchical parallelism with MPI + threading



MCNP Threading - Criticality Problem



## Hardware

- **Lobo – 16 threads/node**  
4 x Quad-core AMD Opteron, 2.2 GHz, 32 GB memory
- **Mac Pro – 8 threads**  
2 x Quad-core Intel Xeon, 3GHz, 8 GB memory

## Software

MCNP5-1.51, Intel-10 F90, "-O1 -openmp"

## MCNP Criticality Calculation

BAWXI2 benchmark, kcode 25000 1 10 204

- **Testing + V&V Suites**

|                               |  |
|-------------------------------|--|
| <b>REGRESSION</b>             | - 66 installation & regression test problems                                       |
| <b>VALIDATION_CRITICALITY</b> | - 31 ICSBEP Handbook cases   |
| <b>VERIFICATION_KEFF</b>      | - 75 analytic problems, exact results  |
| <b>VALIDATION_SHIELDING</b>   | - 19 shielding/dose problems vs experiment   |
| <b>KOBAYASHI [new]</b>        | - void & duct streaming, point detectors   |
| <b>POINT_KINETICS [new]</b>   | - adjoint weighted Rossi- $\alpha$ , $\beta_{\text{eff}}$ , $\Lambda_{\text{eff}}$ |

- **Computers**

- Mac / Linux / Windows, 32 / 64 bit
- Sequential, threads, MPI, threads+MPI
- Over 5,000 hr computer time
- 2 students full-time + 2.5 staff part-time for 3 months

- **Criticality calculations**

- Tested with ENDF/B-VI & ENDF/B-VII.0
- All results should match previous versions of MCNP5

- **MCNP V&V Suites -- Focus**
  - **Physics-based V&V**
  - **Compare to experiment or exact analytic results**
  - Part of MCNP permanent code repository & RSICC distribution
  - Automated, easy execution
  - Automated, easy collection of results & comparison to experiment
  
- **Additional V&V Suites**
  - **VALIDATION\_CRIT\_EXPANDED** - 119 ICSBEP Handbook experiments
    - See paper for ICNC-2011 meeting
  - **Rossi Alpha Validation Suite** - 12 benchmark experiments
    - See paper for ICNC-2011 meeting
  - **VALIDATION\_LANL\_SB-CS** - 194 ICSBEP Handbook experiments
    - Provides V&V support for LANL criticality safety group

# Verification / Validation for MCNP5-1.60 (3)

## MCNP Criticality Validation Suite, Results on Mac OS X for ENDF/B-VII.0

Experiment      MCNP5-1.51      MCNP5-1.60

**U233 Benchmarks**

|        | Experiment  | MCNP5-1.51  | MCNP5-1.60  |
|--------|-------------|-------------|-------------|
| JEZ233 | 1.0000 (10) | 0.9989 (6)  | 0.9989 (6)  |
| FLAT23 | 1.0000 (14) | 0.9990 (7)  | 0.9990 (7)  |
| UMF5C2 | 1.0000 (30) | 0.9931 (6)  | 0.9931 (6)  |
| FLSTF1 | 1.0000 (83) | 0.9830 (11) | 0.9830 (11) |
| SB25   | 1.0000 (24) | 1.0053 (10) | 1.0053 (10) |
| ORNL11 | 1.0006 (29) | 1.0018 (4)  | 1.0018 (4)  |

**HEU Benchmarks**

|        |             |             |             |
|--------|-------------|-------------|-------------|
| GODIVA | 1.0000 (10) | 0.9995 (6)  | 0.9995 (6)  |
| TT2C11 | 1.0000 (38) | 1.0018 (8)  | 1.0018 (8)  |
| FLAT25 | 1.0000 (30) | 1.0034 (7)  | 1.0034 (7)  |
| GODIVR | 0.9985 (11) | 0.9990 (7)  | 0.9990 (7)  |
| UH3C6  | 1.0000 (47) | 0.9950 (8)  | 0.9950 (8)  |
| ZEUS2  | 0.9997 (8)  | 0.9974 (7)  | 0.9974 (7)  |
| SB5RN3 | 1.0015 (28) | 0.9985 (13) | 0.9985 (13) |
| ORNL10 | 1.0015 (26) | 0.9993 (4)  | 0.9993 (4)  |

**IEU Benchmarks**

|         |             |            |            |
|---------|-------------|------------|------------|
| IMF03   | 1.0000 (17) | 1.0029 (6) | 1.0029 (6) |
| BIGTEN  | 0.9948 (13) | 0.9945 (5) | 0.9945 (5) |
| IMF04   | 1.0000 (30) | 1.0067 (6) | 1.0067 (6) |
| ZEBR8H  | 1.0300 (25) | 1.0195 (6) | 1.0195 (6) |
| ICT2C3  | 1.0017 (44) | 1.0037 (7) | 1.0037 (7) |
| STACY36 | 0.9988 (13) | 0.9994 (6) | 0.9994 (6) |

**LEU Benchmarks**

|        |             |            |            |
|--------|-------------|------------|------------|
| BAWXI2 | 1.0007 (12) | 1.0013 (7) | 1.0013 (7) |
| LST2C2 | 1.0024 (37) | 0.9940 (6) | 0.9940 (6) |

**Pu Benchmarks**

|        |              |            |            |
|--------|--------------|------------|------------|
| JEZPU  | 1.0000 (20)  | 1.0002 (6) | 1.0002 (6) |
| JEZ240 | 1.0000 (20)  | 1.0002 (6) | 1.0002 (6) |
| PUBTNS | 1.0000 (30)  | 0.9996 (6) | 0.9996 (6) |
| FLATPU | 1.0000 (30)  | 1.0005 (7) | 1.0005 (7) |
| THOR   | 1.0000 (6)   | 0.9980 (7) | 0.9980 (7) |
| PUSH2O | 1.0000 (10)  | 1.0012 (7) | 1.0012 (7) |
| HISHPG | 1.0000 (110) | 1.0122 (5) | 1.0122 (5) |
| PNL2   | 1.0000 (65)  | 1.0046 (9) | 1.0046 (9) |
| PNL33  | 1.0024 (21)  | 1.0065 (7) | 1.0065 (7) |

## MCNP Criticality Verification Suite - VERIFICATION\_KEFF

- **Compare MCNP5 vs Exact Analytic Results**
  - Mac OS X, Intel-10 f90
  - Same tests on Linux & Windows, with Intel, PGI, Absoft, gfortran, g95

| Case   | Name                  | Exact   | intel-10     |
|--------|-----------------------|---------|--------------|
| prob11 | Ua-1-0-IN             | 2.25000 | 2.25000 (0)  |
| prob14 | Ua-1-0-SP             | 1.00000 | 1.00006 (10) |
| prob18 | Uc-H2O(2)-1-0-SP      | 1.00000 | 1.00005 (11) |
| prob23 | UD20-1-0-CY           | 1.00000 | 1.00000 (6)  |
| prob32 | PUa-1-1-SL            | 1.00000 | 0.99995 (11) |
| prob41 | UD20b-1-1-SP          | 1.00000 | 1.00003 (7)  |
| prob44 | PU-2-0-IN             | 2.68377 | 2.68382 (3)  |
| prob54 | URRa-2-0-SL           | 1.00000 | 1.00007 (13) |
| prob63 | URRd-H2Ob(1)-2-0-ISLC | 1.00000 | 0.99993 (6)  |
| prob75 | URR-6-0-IN            | 1.60000 | 1.59999 (1)  |

# Verification / Validation for MCNP5-1.60 (5)

## MCNP Kinetics Parameter Validation Suite Results on Linux

## Pulsed Sphere Problems (3 of 8)

Benchmark

MCNP5

### Rossi-Alpha vs Experiments

|         |           |       |            |      |
|---------|-----------|-------|------------|------|
| GODIVA  | -0.0011   | 2e-05 | -0.001131  | 7e-6 |
| JEZPU   | -0.00064  | 1e-05 | -0.000649  | 8e-6 |
| BIGTEN  | -0.000117 | 1e-06 | -0.0001156 | 7e-7 |
| FLAT23  | -0.000267 | 5e-06 | -0.0002931 | 3e-6 |
| STACY29 | -0.000122 | 4e-06 | -0.0001222 | 9e-7 |
| WINCO5  | -0.001109 | 3e-06 | -0.001124  | 1e-5 |

### Generation Time vs Exact Analytic Solutions


|        |       |       |         |
|--------|-------|-------|---------|
| ONEINF | 10    | 9.999 | 0.00085 |
| TWOINF | 14.17 | 14.16 | 0.00275 |

### Generation Time vs PARTISN Solutions

|          |       |       |         |
|----------|-------|-------|---------|
| BARESLAB | 9.793 | 9.792 | 0.00594 |
| REFLSLAB | 135.2 | 135.1 | 0.1068  |
| THRESLAB | 49.17 | 49.28 | 0.1018  |
| INTRSLAB | 112.1 | 112.7 | 0.4397  |
| BARESPHR | 1.721 | 1.722 | 0.00102 |
| REFLSPHR | 10.19 | 10.19 | 0.00737 |
| SUBCSLAB | 10.17 | 10.17 | 0.0073  |
| SUPCSLAB | 9.673 | 9.674 | 0.00526 |

■ Experiment,

● MCNP5-1.60




## Kobayashi Benchmark Results

(1 of 6 problems)

### Problem 1, Absorption + Scatter, 100M Histories

|                       | <i>x, y, z</i> | Reference      | MCNP-result    | C/E         |
|-----------------------|----------------|----------------|----------------|-------------|
| <b>Detector Set A</b> |                |                |                |             |
| f1405                 | 5, 5, 5        | 8.29e+0 0.0002 | 8.22e+0 0.0002 | <b>0.99</b> |
| f1415                 | 5,15, 5        | 1.87e+0 0.0001 | 1.86e+0 0.0002 | <b>1.00</b> |
| f1425                 | 5,25, 5        | 7.13e-1 0.0000 | 7.13e-1 0.0001 | <b>1.00</b> |
| f1435                 | 5,35, 5        | 3.84e-1 0.0000 | 3.84e-1 0.0001 | <b>1.00</b> |
| F1445                 | 5,45, 5        | 2.53e-1 0.0001 | 2.54e-1 0.0001 | <b>1.00</b> |
| F1455                 | 5,55, 5        | 1.37e-1 0.0007 | 1.37e-1 0.0005 | <b>1.00</b> |
| F1465                 | 5,65, 5        | 4.65e-2 0.0012 | 4.68e-2 0.0007 | <b>1.01</b> |
| F1475                 | 5,75, 5        | 1.58e-2 0.0020 | 1.59e-2 0.0008 | <b>1.00</b> |
| F1485                 | 5,85, 5        | 5.47e-3 0.0034 | 5.48e-3 0.0012 | <b>1.00</b> |
| F1495                 | 5,95, 5        | 1.85e-3 0.0062 | 1.83e-3 0.0019 | <b>0.99</b> |
| <b>Detector Set B</b> |                |                |                |             |
| F1505                 | 5, 5, 5        | 8.29e+0 0.0002 | 8.22e+0 0.0002 | <b>0.99</b> |
| F1515                 | 15,15,15       | 6.63e-1 0.0000 | 6.63e-1 0.0001 | <b>1.00</b> |
| F1525                 | 25,25,25       | 2.68e-1 0.0000 | 2.69e-1 0.0001 | <b>1.00</b> |
| F1535                 | 35,35,35       | 1.56e-1 0.0001 | 1.57e-1 0.0001 | <b>1.00</b> |
| F1545                 | 45,45,45       | 1.04e-1 0.0001 | 1.04e-1 0.0002 | <b>1.00</b> |
| F1555                 | 55,55,55       | 3.02e-2 0.0006 | 3.01e-2 0.0009 | <b>1.00</b> |
| F1565                 | 65,65,65       | 4.06e-3 0.0007 | 4.08e-3 0.0015 | <b>1.01</b> |
| F1575                 | 75,75,75       | 5.86e-4 0.0012 | 5.89e-4 0.0034 | <b>1.01</b> |
| F1585                 | 85,85,85       | 8.66e-5 0.0020 | 8.73e-5 0.0087 | <b>1.01</b> |
| F1595                 | 95,95,95       | 1.12e-5 0.0038 | 1.16e-5 0.0236 | <b>1.03</b> |

|                       | <i>x, y, z</i> | Reference      | MCNP-result    | C/E         |
|-----------------------|----------------|----------------|----------------|-------------|
| <b>Detector Set C</b> |                |                |                |             |
| F1605                 | 5,55, 5        | 1.37e-1 0.0007 | 1.37e-1 0.0005 | <b>1.00</b> |
| F1615                 | 15,55, 5       | 1.27e-1 0.0008 | 1.28e-1 0.0005 | <b>1.00</b> |
| F1625                 | 25,55, 5       | 1.13e-1 0.0008 | 1.13e-1 0.0005 | <b>1.00</b> |
| F1635                 | 35,55, 5       | 9.59e-2 0.0009 | 9.65e-2 0.0006 | <b>1.01</b> |
| F1645                 | 45,55, 5       | 7.82e-2 0.0009 | 7.88e-2 0.0006 | <b>1.01</b> |
| F1655                 | 55,55, 5       | 5.67e-2 0.0011 | 5.65e-2 0.0007 | <b>1.00</b> |
| F1665                 | 65,55, 5       | 1.88e-2 0.0019 | 1.89e-2 0.0009 | <b>1.01</b> |
| F1675                 | 75,55, 5       | 6.46e-3 0.0031 | 6.50e-3 0.0012 | <b>1.01</b> |
| F1685                 | 85,55, 5       | 2.28e-3 0.0053 | 2.29e-3 0.0018 | <b>1.01</b> |
| F1695                 | 95,55, 5       | 7.93e-4 0.0089 | 8.00e-4 0.0029 | <b>1.01</b> |





# Verification / Validation for MCNP5-1.60 (7)

## Parallel testing - OpenMP threads on Linux

| Tests                  | Intel & gcc                                    | PGI 7                                | PGI 9                                |
|------------------------|--|--------------------------------------|--------------------------------------|
| Regression             | Tu: seq, 1, 2, 4, 8, 16<br>Yr: seq, 1, 2, 4, 8 | Tu: 1, 2, 4, 8, 16<br>Yr: 1, 2, 4, 8 | Tu: 1, 2, 4, 8, 16<br>Yr: 1, 2, 4, 8 |
| Validation Criticality | Tu: seq, 1, 2, 4, 8, 16<br>Yr: seq, 1, 2, 4, 8 | Tu: 1, 2, 4, 8, 16<br>Yr: 1, 2, 4, 8 | Tu: 1, 2, 4, 8, 16<br>Yr: 1, 2, 4, 8 |
| Verification Keff      | Tu: seq, 1, 2, 4, 8, 16<br>Yr: seq, 1, 2, 4, 8 | Tu: 1, 16<br>Yr: 1, 8                | Tu: 1, 16<br>Yr: 1, 8                |
| Kobayashi              | Tu: seq, 1, 2, 4, 8, 16<br>Yr: 1, 8            | Tu: 1, 16<br>Yr: 1, 16               | Tu: 1, 16<br>Yr: 1, 8                |
| Point Kinetics         | Tu: seq, 1, 8, 9, 16                           | n/a                                  | n/a                                  |
| Validation Shielding   | Tu: seq, 1, 2, 4, 8, 16<br>Yr: seq, 1, 8       | Tu: 1, 16<br>Yr: 1, 8                | Tu: 1, 16<br>Yr: 1, 8                |

## Parallel testing - MPI nodes on Linux

| Tests                  | Intel-10                                      | PGI-7                | PGI-9     | gfortran |
|------------------------|---|----------------------|-----------|----------|
| Regression             | 1, 3, 4, 8, 12, 17, 24,<br>33, 40, 48, 53, 64 | 1, 3, 12, 33, 40, 64 | n/a       | 16       |
| Validation Criticality | 1, 3, 4, 8, 12, 17, 24,<br>33, 40, 48, 53, 64 | 1, 3, 12, 33, 40, 64 | 1, 12, 31 | 16, 31   |
| Verification K-eff     | 1, 3, 4, 8, 12, 17, 24,<br>33, 40, 48, 53, 64 | 1, 3, 12, 33, 40, 64 | n/a       | 16, 31   |
| Kobayashi              | 1, 3, 4, 8, 12, 17, 24,<br>33, 40, 48, 53, 64 | 1, 3, 12, 33, 40, 64 | n/a       | n/a      |
| Point Kinetics         | n/a   | 64                   | n/a       | n/a      |

## Parallel testing - MPI+threads

| Tests                  | Number of MPI Processes | Number of OpenMP Threads Per MPI Process | Total Number of Threads |
|------------------------|-------------------------|--|-------------------------|
| Regression             | 2                       | 7  | 14                      |
|                        | 3                       | 16                                       | 48                      |
| Validation Criticality | 4                       | 7  | 28                      |
|                        | 3                       | 16                                       | 48                      |
| Verification K-eff     | 4                       | 7  | 28                      |
|                        | 3                       | 16                                       | 48                      |
| Kobayashi              | 4                       | 7  | 28                      |
|                        | 3                       | 16                                       | 48                      |
| Point Kinetics         | 4                       | 16                                       | 64                      |

# Rossi-alpha Validation Suite

- **MCNP5-1.60 can compute kinetics parameters**
  - Requires adjoint weighting techniques
  - Calculates Rossi-alpha ( $-\beta_{\text{eff}}/\Lambda$ )
- **Twelve benchmarks identified by Mosteller**
  - 4 HEU, 3 IEU, 3 Pu, 2 U-233
  - 8 fast, 2 intermediate, 2 thermal

:: Rossi-alpha ( $10^4$  gens/second)

| Name        | Experiment       | ENDF-VI          | ENDF-VII.0       |
|-------------|------------------|------------------|------------------|
| Jezebel-233 | -100 ± 1         | -109 ± 1         | -108 ± 1         |
| Flattop-23  | -26.7 ± 0.5      | -30.9 ± 0.4      | -30.2 ± 0.4      |
| Godiva      | -111 ± 2         | -117 ± 2         | -111 ± 2         |
| Flattop-25  | -38.2 ± 0.2      | -40.9 ± 0.2      | -39.7 ± 0.2      |
| Zeus-1      | -0.338 ± 0.008   | -0.372 ± 0.002   | -0.360 ± 0.002   |
| Zeus-4      | -2.61 ± 0.02     | -3.27 ± 0.01     | -3.21 ± 0.01     |
| BIG TEN     | -11.7 ± 0.1      | -12.5 ± 0.1      | -11.8 ± 0.2      |
| STACY-30    | -0.0127 ± 0.0003 | -0.0133 ± 0.0003 | -0.0133 ± 0.0003 |
| STACY-46    | -0.0106 ± 0.0004 | -0.0110 ± 0.0002 | -0.0104 ± 0.0002 |
| Jezebel     | -64 ± 1          | -64 ± 1          | -65 ± 1          |
| Flattop-Pu  | -21.4 ± 0.5      | -21.6 ± 0.3      | -21.0 ± 0.3      |
| THOR        | -20 ± 1          | -20 ± 2          | -21 ± 1          |

# Expanded Criticality Validation Suite

- **New, well-documented criticality suite**

R.D. Mosteller, “An Expanded Criticality Validation Suite for MCNP”,  
LA-UR-10-06230 (227 pages including MCNP inputs)

- **119 ICBEP Handbook experiments:**


| Fuel         | Fast      | Intermediate | Thermal   | Total      |
|--------------|-----------|--------------|-----------|------------|
| U-233        | 10        | 1            | 7         | 18         |
| HEU          | 29        | 5            | 6         | 40         |
| IEU          | 10        | 1            | 6         | 17         |
| LEU          | -         | -            | 8         | 8          |
| Pu           | 21        | 1            | 14        | 36         |
| <b>Total</b> | <b>70</b> | <b>8</b>     | <b>41</b> | <b>119</b> |

- **MCNP**

- Automated execution & collection of results
- Can run with ENDF/B-VI, T16+ENDF/B-VI, ENDF/B-VII.0 data
- 7.75 hr on 8-core Mac Pro (714 M total neutron histories)

# MCNP6 Status

# MCNP6 Beta Release



- **MCNP6 – beta release sent to RSICC for a limited set of beta testers**
- **MCNP6 – full release by RSICC expected in 2012**
- **Culminates 5 years of effort combining features of MCNPX into MCNP5**
- **MCNP5 & MCNPX are now frozen – future development will occur in MCNP6**



Support from DOE/NNSA, DOE, DoD, DRTA, DHS/DNDO, NASA, & others

The LANL MCNP6 team has more than 12 full time and 5 part time staff working on the following:

- **Improved Physics**
  - Incorporate new INCL, add delta rays, improve stopping power , add Rutherford scattering, allow particle to pick up charge as they slow down
- **Improved Software parallelism**
  - to be able to utilize >10K processors w/ mpi, R&D into Cray Fortran
- **Improved Delayed Particle Emissions**
  - better energy and angle correlations, beta and alpha emissions
- **Efforts for EMP**
  - Adding Electric Fields, Improved magnetic fields, specialized tallies
- **Integration of Unstructured Mesh**
  - work with weight windows mesh, charged particle tracking
- **Optical Light**
  - refraction, reflection, Cherenkov radiation
- **Moving Objects**
  - Realistic simulation of moving vehicles
- **Sensitivity and Uncertainty**
- **Automatic Weight Windows Generation**
  - from SN calculations – LANL's PARTISN.

# MCNP contains a lot of physics

- **Incorporates other codes as libraries:**


|          |                          |      |
|----------|--------------------------|------|
| – LAHET  | high energy transport    | LANL |
| – CEM    | high energy transport    | LANL |
| – LAQGSM | high energy transport    | LANL |
| – CINDER | unstable nuclei database | LANL |
| – ITS    | electron transport       | SNL  |
| – MARS   | high energy transport    | FNAL |
| – HETC   | high energy transport    | ORNL |

- **Utilizes Nuclear and Atomic Data**

- LANL, LLNL, BNL, EU, Japan

- **Large energy range (eV – 100s of GeV)**

- MCNP is physics rich – try to use best data, models, & theory



- Recent physics improvements include:

- Photon induced fission multiplicity
- Characteristic muonic X-rays
- Exact delayed gamma emissions
- Visible light
- Improved photoatomic form factors
- Upgrades to CEM & LAQGSM 3.03
- GEF photofission yield



- **MCNP6 contains:**
  - **MCNP6 = development version of MCNP at LANL, since 2004**
  - **Includes:**
    - **All MCNP5-1.60 capabilities (mpi + threads)**
    - **High energy protons & magnetic fields, for proton radiography**
    - **All MCNPX 2.7.D capabilities (mpi)**
    - **CINDER 2010 decay & depletion**
  - **Unstructured mesh, for linking with ABAQUS**
  - **Structured mesh, for linking with PARTISN**
  - **Adjoint-weighted perturbation estimators**
- **MCNP6 in (very) limited beta release to outside LANL**
  - **Recipients are active collaborators and sponsors**
  - **Full beta access within LANL and LLNL**

- **Active Validation Efforts**
  - Comparisons with experiments included in test suites
  - High energy proton, heavy ion interactions
  - Delayed photon and neutron spectra
  - Subcritical multiplication
  - Expanded criticality suite (119 problems)
  - Perturbation verification suite
  - Kobayashi benchmarks – streaming through ducts & voids
  - Reactor kinetics parameter benchmarks
  - Production / depletion (CINDER) soon
- **Nightly Regression Test suites**
  - 3 platforms (Linux 32, Linux 64, Windows 64)
  - 5 compilers (Intel 10+11, PGI 7, Pathscale 3, gfortran)
  - Serial, mpi, omp, mip+omp
  - Array bounds checking
  - 875 problem input files
  - Total: 10,000 runs each night

- **MCNP & MCNPX teams have adopted MCNP6 as the base for all future development**
- **To go from Beta release to Production release:**
  - Assurance of reliability and accuracy for criticality
  - Assurance of reliability and accuracy for other apps
  - Comparable performance
  - Complete documentation
- **Future Work**
  - Cleanup coding style
  - Remove duplicate features
  - Extend parallel threading capability to new features
  - New Features
- **General release through RSICC**
  - 2012

# Conclusions & Future Release Plans

- **Based on the excellent agreement found in all cases run:**
  - All of the previous verification/validation efforts carried out in support of MCNP should carry over to the present version, MCNP5-1.60.
- **We do not presume to declare MCNP5-1.60 as validated for any particular end-user application:**
  - That is the prerogative of the end-users, for their specific requirements and applications of the code
  - Such validation should be straightforward given the results reported herein for the MCNP5-1.60 verification testing
- **MCNP5-1.60 can be obtained from RSICC, [rsicc.ornl.gov](http://rsicc.ornl.gov)**

- **MCNP6 = MCNP5 + MCNPX merger**
  - Retains all capabilities in MCNP5 & MCNPX
    - High-energy physics (ie, GeV, TeV), 36 particle types, heavy ions, .....
    - Many new features for Homeland Security, detectors, .....
    - Depletion using CINDER-90, .....
- **Impact on Criticality Calculations → none**
  - All KCODE criticality features same as for MCNP5
  - Matches results with MCNP5 for criticality suites
- **Monte Carlo team will support MCNP6, not MCNP5/MCNPX/MCNP6**
- **MCNP6 is coming**
  - Beta-0 release: 1Q CY 2011 – very limited distribution
  - Beta-1 release: 4Q CY 2011 – general beta testing
  - Production release: CY 2012 – general public release

**We need to plan for MCNP5 → MCNP6 transition**

# Questions ?